(in accordance with Regulation (EU) 2015/830)

Onebond 7790 - Part A

Version 1 Date of compilation: 22/12/2021

Version 3 (replaces version 2) Revision date: 14/01/2022 Print date: 28/02/2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: Onebond 7790 2K Structural 50g - part A

Product Code: 78072764215

UFI: Q740-Q044-X00Q-7H4V

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Adhesives for industrial and DIY use.

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: SAINT-GOBAIN SURFACE SOLUTIONS

Address: City: Province:

1.4 Emergency telephone number: (Only available during office hours; Monday-Friday; 08:00-18:00)

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EU) No 1272/2008:

Eye Irrit. 2 : Causes serious eye irritation. STOT SE 3 : May cause respiratory irritation.

Skin Irrit. 2: Causes skin irritation.

2.2 Label elements.

Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:



Signal Word:

Warning

H statements:

H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

P statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P321 Specific treatment (see ... on this label).

P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to ...

EUH statements:

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

Page 1 of 10

(in accordance with Regulation (EU) 2015/830)

Onebond 7790 - Part A

Version 1 Date of compilation: 22/12/2021

Page 2 of 10 Print date: 28/02/2022 **Version 3 (replaces version 2) Revision date: 14/01/2022**

Contains:

ethyl 2-cyanoacrylate

2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification - Regulation (EC) No 1272/2008		
Identifiers	Identifiers Name		Classification	specific concentration limit	
Index No: 607-236- 00-9 CAS No: 7085-85-0 EC No: 230-391-5 Registration No: 01- 2119527766-29-XXXX	[1] ethyl 2-cyanoacrylate	10 - 100 %	Eye Irrit. 2, H319 - STOT SE 3, H335 - Skin Irrit. 2, H315	STOT SE 3, H335: C ≥ 10 %	
CAS No: 119-47-1 EC No: 204-327-1 Registration No: 01- 2119496065-33-XXXX	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	0.1 - 3 %	Aquatic Chronic 4, H413 - Repr. 2, H361f	-	
CAS No: 25013-16-5 EC No: 246-563-8	tert-butyl-4-methoxyphenol	0.1 - 1 %	Acute Tox. 4, H302 - Aquatic Chronic 2, H411 - Carc. 2, H351 - Eye Irrit. 2, H319 - STOT SE 3, H335 - Skin Irrit. 2, H315	-	
Index No: 604-005- 00-4 CAS No: 123-31-9 EC No: 204-617-8 Registration No: 01- 2119524016-51-XXXX	[1] 1,4-dihydroxybenzene, hydroquinone, quinol	0 - 1 %	Acute Tox. 4 *, H302 - Aquatic Acute 1, H400 (M=10) - Carc. 2, H351 - Eye Dam. 1, H318 - Muta. 2, H341 - Skin Sens. 1, H317	•	
Index No: 604-044- 00-7 CAS No: 150-76-5 EC No: 205-769-8 Registration No: 01- 2119541813-40-XXXX	[1] mequinol, 4-methoxyphenol, hydroquinone monomethyl ether	0 - 1 %	Acute Tox. 4 *, H302 - Eye Irrit. 2, H319 - Skin Sens. 1, H317	-	
CAS No: 109-63-7 EC No: 203-689-8	[1] Diethyl ether - boron trifluoride	0 - 1 %	Acute Tox. 4, H332 - Flam. Liq. 3, H226 - STOT RE 1, H372 - Skin Corr. 1B, H314	-	

^(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet. * See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

^[1] Substance with a Community workplace exposure limit (see section 8.1).

(in accordance with Regulation (EU) 2015/830)

Onebond 7790 - Part A

Version 1 Date of compilation: 22/12/2021

Page 3 of 10 **Version 3 (replaces version 2)** Print date: 28/02/2022 **Revision date: 14/01/2022**

SECTION 4: FIRST AID MEASURES.

IRRITANT MIXTURE. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration. Do not administer anything orally. If unconscious, place them in a suitable position and seek medical assistance.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Irritant Product, repeated or prolonged contact with skin or mucous membranes can cause redness, blisters or dermatitis, inhalation of spray mist or particles in suspension may cause irritation of the respiratory tract, some symptoms may not be immediate

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

SECTION 5: FIREFIGHTING MEASURES.

The product does not present any particular risk in case of fire.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

(in accordance with Regulation (EU) 2015/830)

Onebond 7790 - Part A

Date of compilation: 22/12/2021 Version 1

Page 4 of 10 Version 3 (replaces version 2) **Revision date: 14/01/2022** Print date: 28/02/2022

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Prevent the contamination of drains, surface or subterranean waters, and the ground.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m³		
		United	Eight hours				
othyd 2 gyanoagridata	7085-85-0	Kingdom [1] Short term 0,3		0,3	1,5		
ethyl 2-cyanoacrylate	7065-65-0	ć: [2]	Eight hours	0,2			
		Éire [2]	Short term	1			
		United	Eight hours		0,5		
		Kingdom [1]	Short term				
		Éire [2]	Eight hours	Eight hours			
		Life [2]	Short term				
1,4-dihydroxybenzene, hydroquinone,		United States Eight hours		2			
quinol	123-31-9	[3] (Cal/OSHA)	Short term				
quirioi	[² U	United States [4] (NIOSH)	Eight hours		(Ceiling) 2 [15- min]		
			Short term				
		United States	Eight hours		2		
		[5] (OSHA)	Short term				
mequinol, 4-methoxyphenol,	150-76-5	Éiro [2]	Éire 121 Eight hours		5		
hydroquinone monomethyl ether	150-76-5	5-5 Éire [2]	Short term				
Diethyl ether - boron trifluoride	109-63-7	United States	Eight hours		2.5 (as F)		
Dietriyi etriei - boron trindonde	109-03-7	[4] (NIOSH)	Short term				

(in accordance with Regulation (EU) 2015/830)

Onebond 7790 - Part A

Date of compilation: 22/12/2021 Version 1

Page 5 of 10 Version 3 (replaces version 2) **Revision date: 14/01/2022** Print date: 28/02/2022

	United States	Eight hours	2.5 (as F)
	[5] (OSHA)	Short term	

^[1] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive.

California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
ethyl 2-cyanoacrylate CAS No: 7085-85-0	DNEL (Workers)	Inhalation, Long-term, Local effects	9,25 (mg/m³)
EC No: 230-391-5	DNEL (Workers)	Inhalation, Long-term, Systemic effects	9,25 (mg/m³)
6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol CAS No: 119-47-1 EC No: 204-327-1	DNEL (Workers)	Inhalation, Long-term, Systemic effects	4,48 (mg/m³)
1,4-dihydroxybenzene, hydroquinone, quinol CAS No: 123-31-9	DNEL (Workers)	Inhalation, Long-term, Local effects	1 (mg/m³)
EC No: 204-617-8	DNEL (Workers)	Inhalation, Long-term, Systemic effects	7 (mg/m³)
mequinol, 4-methoxyphenol, hydroquinone monomethyl ether CAS No: 150-76-5 EC No: 205-769-8	DNEL (Workers)	Inhalation, Long-term, Systemic effects	3 (mg/m³)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %
Uses:	
Breathing protect	tion:
If the recommende	d technical measures are observed, no individual protection equipment is necessary.
Hand protection:	
If the product is ha	ndled correctly, no individual protection equipment is necessary.
Eye protection:	
If the product is ha	ndled correctly, no individual protection equipment is necessary.
Skin protection:	
PPE:	Work footwear.
Characteristics:	«CE» marking, category II.
CEN standards:	EN ISO 13287, EN 20347
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should
Plaintenance.	not be used by other people.
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any
ODSCI VALISTIS.	injury resulting from an accident

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Appearance: Transparent liquid with characteristic odour

Colour: N.A./N.A. Odour:Bajo

Odour threshold: N.A./N.A.

^[2] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

^[3] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

^[4] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

^[5] Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs),

(in accordance with Regulation (EU) 2015/830)

Onebond 7790 - Part A

Date of compilation: 22/12/2021 Version 1

Page 6 of 10 Print date: 28/02/2022 **Version 3 (replaces version 2)** Revision date: 14/01/2022

pH:N.A./N.A.

Melting point: N.A./N.A. Boiling Point: N.A./N.A. Flash point: > 60 °C Evaporation rate: N.A./N.A.

Inflammability (solid, gas): N.A./N.A. Lower Explosive Limit: N.A./N.A. Upper Explosive Limit: N.A./N.A. Vapour pressure: N.A./N.A. Vapour density: N.A./N.A. Relative density:1,12

Solubility: Polymerizes in presence of water

Liposolubility: N.A./N.A. Hydrosolubility: N.A./N.A.

Partition coefficient (n-octanol/water): N.A./N.A.

Auto-ignition temperature: 80°C Decomposition temperature: N.A./N.A.

Viscosity: Gel

Explosive properties: N.A./N.A. Oxidizing properties: N.A./N.A.

N.A./N.A. = Not Available/Not Applicable due to the nature of the product

9.2 Other information.

Dropping point: N.A./N.A.

Blink: N.A./N.A.

Kinematic viscosity: N.A./N.A.

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid.

Avoid any improper handling.

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

SECTION 11: TOXICOLOGICAL INFORMATION.

IRRITANT MIXTURE. Splashes in the eyes can cause irritation.

IRRITANT MIXTURE. The inhalation of spray mist or suspended particulates can irritate the respiratory tract. It can also cause serious respiratory difficulties, central nervous system disorders, and in extreme cases, unconsciousness.

IRRITANT MIXTURE. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

11.1 Information on toxicological effects.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

Toxicological information about the substances present in the composition.

Name	Acute toxicity			
	Туре	Test	Kind	Value

(in accordance with Regulation (EU) 2015/830)

Onebond 7790 - Part A

Date of compilation: 22/12/2021 Version 1

Page 7 of 10 Version 3 (replaces version 2) **Revision date: 14/01/2022** Print date: 28/02/2022

	Oral	LD50	Rat	2000 mg/kg bw
tert-butyl-4-methoxyphenol	Dermal			
CAS No: 25013-16-5 EC No: 246-563-8	Inhalation			

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Product classified:

Skin irritant, Category 2: Causes skin irritation.

c) serious eye damage/irritation;

Product classified:

Eye irritation, Category 2: Causes serious eye irritation.

d) respiratory or skin sensitisation;

Based on available data, the classification criteria are not met.

e) germ cell mutagenicity;

Based on available data, the classification criteria are not met.

f) carcinogenicity;

Based on available data, the classification criteria are not met.

g) reproductive toxicity;

Based on available data, the classification criteria are not met.

h) STOT-single exposure;

Product classified:

Specific target organ toxicity following a single exposure, Category 3: May cause respiratory irritation.

i) STOT-repeated exposure;

Based on available data, the classification criteria are not met.

j) aspiration hazard;

Not conclusive data for classification.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present. No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name	Bioaccumulation			
Name	Log Pow	BCF	NOECs	Level
1,4-dihydroxybenzene, hydroquinone, quinol CAS No: 123-31-9 EC No: 204-617-8	0,59	-	-	Very low
mequinol, 4-methoxyphenol, hydroquinone monomethyl ether	1,34	-	-	Very low

(in accordance with Regulation (EU) 2015/830)

Onebond 7790 - Part A

Date of compilation: 22/12/2021 Version 1

Page 8 of 10 **Revision date: 14/01/2022** Print date: 28/02/2022 **Version 3 (replaces version 2)**

CAS No: 150-76-5 EC No: 205-769-8

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

Sea: Transport by ship: IMDG.

Transport documentation: Bill of lading Air: Transport by plane: ICAO/IATA. Transport document: Airway bill.

14.1 UN number.

UN No: UN3334

14.2 UN proper shipping name.

Description:

UN 3334, Aviation regulated liquid, n.o.s., PG III ADR: IMDG: UN 3334, Aviation regulated liquid, n.o.s., PG III

ICAO/IATA: UN 3334, Aviation regulated liquid, n.o.s., 9, PG III

14.3 Transport hazard class(es).

Class(es): 9

14.4 Packing group.

Packing group: III

14.5 Environmental hazards.

Marine pollutant: No

14.6 Special precautions for user.

ADR LQ: Not applicable. IMDG LQ: Not applicable. ICAO LQ: Not applicable.

(in accordance with Regulation (EU) 2015/830)

Onebond 7790 - Part A

Date of compilation: 22/12/2021 Version 1

Page 9 of 10 Version 3 (replaces version 2) **Revision date: 14/01/2022** Print date: 28/02/2022



Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR.

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): Not applicable.

Proceed in accordance with point 6.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

The product is not transported in bulk.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H226 H302	Flammable liquid and vapour. Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Classification codes:

Acute Tox. 4 : Acute toxicity (Inhalation), Category 4 Acute Tox. 4 : Acute toxicity (Oral), Category 4

Aquatic Acute 1: Acute toxicity to the aquatic environment, Category 1 Aquatic Chronic 2: Chronic effect to the aquatic environment, Category 2 Aquatic Chronic 4: Chronic effect to the aquatic environment, Category 4

Carc. 2: Carcinogen, Category 2

Eye Dam. 1: Serious eye damage, Category 1 Eye Irrit. 2: Eye irritation, Category 2

(in accordance with Regulation (EU) 2015/830)

Onebond 7790 - Part A

Version 1 Date of compilation: 22/12/2021 Page 10 of 10 Version 3 (replaces version 2) Revision date: 14/01/2022 Print date: 28/02/2022

Flam. Liq. 3: Flammable liquid, Category 3

Muta. 2 : Mutagen, Category 2

Repr. 2 : Reproductive toxicant, Category 2

STOT RE 1 : Specific target organ toxicity following a repeated exposure, Category 1 STOT SE 3 : Specific target organ toxicity following a single exposure, Category 3

Skin Corr. 1B: Skin Corrosive, Category 1B Skin Irrit. 2: Skin irritant, Category 2 Skin Sens. 1: Skin sensitiser, Category 1

Changes regarding to the previous version:

- Changes in the composition of the product (SECTION 3.2).

- Addition of exposure data (SECTION 8.1).

- Change in the hazard classification (SECTION 11.1).
- Addition of ecological information values (SECTION 12.3).
- Addition of abbreviations and acronyms (SECTION 16).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

BCF: Bioconcentration factor.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration.

PPE: Personal protection equipment.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organization.

IMDG: International Maritime Code for Dangerous Goods.

LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

Log Pow: Logarithm of the partition octanol-water. NOEC: No observed effect concentration.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2015/830. Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.